



# Dimensions et poids de réduction concentrique et excentrique à souder bout à bout ASME B16.9



RC



RE

| Size(NPS)     | OD x OD1     | H   | Epaisseur T et poids |         |         |         | T (mm)     |  |
|---------------|--------------|-----|----------------------|---------|---------|---------|------------|--|
|               |              |     |                      |         |         |         | Poids (Kg) |  |
|               |              |     | Sch 10s              | Sch 40s | Sch STD | Sch 80s | Sch XS     |  |
| 3/4 X 1/2     | 26.7 X 21.3  | 38  | 2.11                 | 2.87    | 2.87    | 3.91    | 3.91       |  |
|               |              |     | 0.04                 | 0.06    | 0.05    | 0.07    | 0.07       |  |
| 1 X 3/4       | 33.4 X 26.7  | 51  | 2.77                 | 3.38    | 3.38    | 4.55    | 4.55       |  |
|               |              |     | 0.10                 | 0.11    | 0.10    | 0.15    | 0.15       |  |
| 1 1/4 X 1     | 42.2 X 33.4  | 51  | 2.77                 | 3.56    | 3.56    | 4.85    | 4.85       |  |
|               |              |     | 0.12                 | 0.15    | 0.15    | 0.20    | 0.20       |  |
| 1 1/4 X 3/4   | 42.2 X 26.7  | 51  | 2.77                 | 3.56    | 3.56    | 4.85    | 4.85       |  |
|               |              |     | 0.11                 | 0.14    | 0.14    | 0.18    | 0.18       |  |
| 1 1/2 X 1 1/4 | 48.3 X 42.2  | 51  | 2.77                 | 3.68    | 3.68    | 5.08    | 5.08       |  |
|               |              |     | 0.19                 | 0.24    | 0.24    | 0.32    | 0.32       |  |
| 1 1/2 X 1     | 48.3 X 33.4  | 51  | 2.77                 | 3.68    | 3.68    | 5.08    | 5.08       |  |
|               |              |     | 0.17                 | 0.22    | 0.22    | 0.29    | 0.29       |  |
| 1 1/2 X 3/4   | 48.3 X 26.7  | 64  | 2.77                 | 3.68    | 3.68    | 5.08    | 5.08       |  |
|               |              |     | 0.16                 | 0.20    | 0.20    | 0.26    | 0.26       |  |
| 2 X 1 1/2     | 60.3 X 48.3  | 64  | 2.77                 | 3.91    | 3.91    | 5.54    | 5.54       |  |
|               |              |     | 0.27                 | 0.37    | 0.37    | 0.51    | 0.51       |  |
| 2 X 1 1/4     | 60.3 X 42.2  | 64  | 2.77                 | 3.91    | 3.91    | 5.54    | 5.54       |  |
|               |              |     | 0.26                 | 0.35    | 0.35    | 0.48    | 0.48       |  |
| 2 X 1         | 60.3 X 33.4  | 76  | 2.77                 | 3.91    | 3.91    | 5.54    | 5.54       |  |
|               |              |     | 0.24                 | 0.32    | 0.32    | 0.44    | 0.44       |  |
| 2 1/2 X 2     | 73.0 X 60.3  | 76  | 3.05                 | 5.16    | 5.16    | 7.01    | 7.01       |  |
|               |              |     | 0.43                 | 0.70    | 0.70    | 0.92    | 0.92       |  |
| 2 1/2 X 1 1/2 | 73.0 X 48.3  | 76  | 3.05                 | 5.16    | 5.16    | 7.01    | 7.01       |  |
|               |              |     | 0.40                 | 0.63    | 0.63    | 0.83    | 0.83       |  |
| 2 1/2 X 1 1/4 | 73.0 X 42.2  | 89  | 3.05                 | 5.16    | 5.16    | 7.01    | 7.01       |  |
|               |              |     | 0.38                 | 0.60    | 0.60    | 0.79    | 0.79       |  |
| 3 X 2 1/2     | 88.9 X 73.0  | 89  | 3.05                 | 5.49    | 5.49    | 7.62    | 7.62       |  |
|               |              |     | 0.53                 | 0.91    | 0.91    | 1.23    | 1.23       |  |
| 3 X 2         | 88.9 X 60.3  | 89  | 3.05                 | 5.49    | 5.49    | 7.62    | 7.62       |  |
|               |              |     | 0.49                 | 0.84    | 0.84    | 1.13    | 1.13       |  |
| 3 X 1 1/2     | 88.9 X 48.3  | 89  | 3.05                 | 5.49    | 5.49    | 7.62    | 7.62       |  |
|               |              |     | 0.45                 | 0.78    | 0.78    | 1.05    | 1.05       |  |
| 4 X 3         | 114.3 X 88.9 | 102 | 3.05                 | 6.02    | 6.02    | 8.56    | 8.56       |  |
|               |              |     | 0.77                 | 1.46    | 1.46    | 2.02    | 2.02       |  |
| 4 X 2 1/2     | 114.3 X 73.0 | 102 | 3.05                 | 6.02    | 6.02    | 8.56    | 8.56       |  |
|               |              |     | 0.72                 | 1.35    | 1.35    | 1.87    | 1.87       |  |
| 4 X 2         | 114.3 X 60.3 | 102 | 3.05                 | 6.02    | 6.02    | 8.56    | 8.56       |  |
|               |              |     | 0.68                 | 1.27    | 1.27    | 1.75    | 1.75       |  |

## Dimensions et poids de réduction concentrique et excentrique à souder bout à bout ASME B16.9

|           |               |     |      |      |      |       |       |
|-----------|---------------|-----|------|------|------|-------|-------|
| 5 X 4     | 141.3 X 114.3 | 127 | 3.40 | 6.55 | 6.55 | 9.53  | 9.53  |
|           |               |     | 1.35 | 2.50 | 2.50 | 3.55  | 3.55  |
| 5 X 3     | 141.3 X 88.9  | 127 | 3.40 | 6.55 | 6.55 | 9.53  | 9.53  |
|           |               |     | 1.23 | 2.27 | 2.27 | 3.22  | 3.22  |
| 5 X 2 1/2 | 141.3 X 73.0  | 127 | 3.40 | 6.55 | 6.55 | 9.53  | 9.53  |
|           |               |     | 1.16 | 2.14 | 2.14 | 3.02  | 3.02  |
| 6 X 5     | 168.3 X 141.3 | 140 | 3.40 | 7.11 | 7.11 | 10.97 | 10.97 |
|           |               |     | 1.81 | 3.64 | 3.64 | 5.47  | 5.47  |
| 6 X 4     | 168.3 X 114.3 | 140 | 3.40 | 7.11 | 7.11 | 10.97 | 10.97 |
|           |               |     | 1.67 | 3.36 | 3.36 | 5.03  | 5.03  |
| 6 X 3     | 168.3 X 88.9  | 140 | 3.40 | 7.11 | 7.11 | 10.97 | 10.97 |
|           |               |     | 1.53 | 3.07 | 3.07 | 4.58  | 4.58  |
| 8 X 6     | 219.1 X 168.3 | 152 | 3.76 | 8.18 | 8.18 | 12.70 | 12.70 |
|           |               |     | 2.75 | 5.77 | 5.77 | 8.73  | 8.73  |
| 8 X 5     | 219.1 X 141.3 | 152 | 3.76 | 8.18 | 8.18 | 12.70 | 12.70 |
|           |               |     | 2.60 | 5.44 | 5.44 | 8.23  | 8.23  |
| 8 X 4     | 219.1 X 114.3 | 152 | 3.76 | 8.18 | 8.18 | 12.70 | 12.70 |
|           |               |     | 2.46 | 5.14 | 5.14 | 7.75  | 7.75  |

- **Dimensions en mm**